

## Literaturverzeichnis

- Agnon, A. & Reches, Z. (1995): Frictional rheology: hardening and rotation of active normal faults. *Tectonophysics*, **247**, 239-254.
- Angevine, C.L., Turcotte, D.L. & Furnish, M.D. (1982): Pressure Solution Lithification as a mechanism for the Stick-Slip Behavior of Faults. *Tectonics*, **1**, 151-160.
- Bailey, C.M., Simpson, C. & Paor, D.G. (1994): Volume loss and tectonic flattening strain in granitic mylonites from the Blue Ridge province, central Appalachians. *Journal of Structural Geology*, **16**, 1403-1416.
- Bauer, P., Palm, S. & Handy, M.R. (1999): Strain localization and fluid pathways in brittle-viscous shear zones: Inferences from in-situ deformation of a water-bearing quartz analogue (norcamphor). Submitted to *Tectonophysics* in February 1999.
- Behrmann, J.H. (1987): A precautionary note on shear bands as kinematic indicators. *Journal of Structural Geology*, **9**, 659-666.
- Bell, T.H. & Etheridge, M.A. (1973): Microstructure of mylonites and their descriptive terminology. *Lithos*, **6**, 377-348.
- Berckhemer, H. (1968): Topographie des „Ivrea-Körpers“ abgeleitet aus seismischen und gravimetrischen Daten. *Schweizerische mineralogische und petrographische Mitteilungen*, **48**, 235-246.
- Berthé, D., Choukroune, P. & Jegouzo, P. (1979a): Orthogneiss, mylonite and non coaxial deformation of granites: the example of the South Armorican Shear Zone. *Journal of Structural Geology*, **1**, 31-42.
- Berthé D., Choukroune P. & Gapais D. (1979b): Orientations préférentielles du quartz et orthogneissification progressive en régime cisailant: l'exemple du cisaillement sud-Armoricain. *Bulletin de Minéralogie*, **102**, 265- 272.
- Blanpied, M.L., Lockner, A.D. & Byerlee, J.D. (1992): An earthquake mechanism based on rapid sealing of faults. *Nature*, **358**, 574-576.
- Blenkinsop T.G. & Treloar P.J. (1995): Geometry, classification and kinematics of S-C fabric. *Journal of Structural Geology*, **17**, 398-407.
- Boriani, A. & Villa, I. (1997): Geochronology of regional metamorphism in the Ivrea-Verbano Zone and Serie dei Laghi, Italien Alps. *Schweizerische mineralogische und petrographische Mitteilungen*, **77**, 381-401.
- Boriani, A., Origoni Giobbi, E., Borghi, A. & Caironi, V. (1990): The Cossato-Mergozzo-Brissago Line and the Pogallo Line (Southern Alps, Northern Italy) and their relationships with the late-Hercynian magmatic and metamorphic events. *Tectonophysics*, **182**, 91-102.
- Boriani, A., Bigioggero, B. & Origoni Giobbi E. (1977): Metamorphism, Tectonic Evolution and tentative stratigraphy of the Serie dei laghi, Geologic Map of the Verbania Area (Northern Italy). *Memorie di Scienze Geologiche*, **32**, 1-26.
- Boriani, A. & Sacchi, R. (1973): Geology of the junction between the Ivrea-Verbano and Strona-Ceneri Zones. *Memorie degli Instituti di Geologia e Mineralogia, Università di Padova*, **28**, 1-35.
- Boriani, A. (1970): The Pogallo Line and its connection with the metamorphic and the anatetic phases of the Massiccio dei Laghi between the Ossola valley and the Lake Maggiore (Northern Italy). *Geological Society of America Bulletin*, **89**, 415-433.
- Brace W.F. & Kohlstedt D.L. (1980): Limits of lithospheric stress imposed by laboratory experiments. *Journal of Geophysical Research*, **85**, 6248-6252.
- Bucher, K. & Frey, M. (1994): Petrogenesis of Metamorphic Rocks. Springer-Verlag, S. 318.
- Burnham, C.W., Holloway, J.R. & Davis, N.F. (1969): Thermodynamic properties of water to 1000 °C and 10 000 bars. *Geological Society of America, Special Paper*, **132**.

- Byerlee, J.D. (1978): Friction of rocks. *Pure and Applied Geology*, **116**, 615-626.
- Carter, N.L. & Tsenn, M.C. (1987): Flow properties of continental lithosphere. *Tectonophysics*, **136**, 27-63.
- Chen W. & Molnar P. (1981): Earthquakes. *EOS*, **62**.
- Chester, F.M., Evans, J.P. & Biegel, R.L. (1993): Internal Structure and Weakening Mechanisms of the San Andreas Fault. *Journal of Geophysical Research*, **98**, 771-786.
- Chester, F.M. (1988): The brittle-ductile transition in a deformation-mechanism map for halite. *Tectonophysics*, **154**, 125-136.
- Cox, S.F. (1995): Faulting processes at high fluid pressures: An example of fault valve behaviour from the Wattle Gully Fault, Victoria, Australia. *Journal of Geophysical Research*, **100**, 12841-12859.
- Cox, S.F. & Etheridge, M.A. (1989): Coupled grainscale dilatancy and mass-transfer during deformation at fluid pressures; Examples from Mt. Lyell, Tasmania. *Journal of Structural Geology*, **11**, 147-162.
- Cox, S.F., Etheridge, M.A. & Wall, V.J. (1987): The role of fluids in syntectonic mass transport, and localization of metamorphic vein-type ore deposits. *Ore Geology Reviews*, **2**, 65-86.
- Davies, F.B. (1982): Strain analysis of wrench faults and collision tectonics of the Arabian-Nubian shield. *Journal of Geology*, **82**, 37-53.
- Deer, W.A., Howie, R.A. & Zussman, J. (1996): An introduction to the rock-forming minerals. Longman, S.696.
- Dell'Angelo, L.N. & Tullis, J. (1989): Fabric developemant in experimentally sheared quartzites. *Tectonophysics*, **169**, 1-21.
- Dennis, A.J. & Secor, D.T.Jr. (1990): On resolving shear direction in foliated rocks deformed by simple shear. *Bulletin of the Geological Society of America*, **102**, 1257-1267.
- Dennis, A.J. & Secor, D.T. (1987): A model for the development of crenulations in shear zones with applications from the Southern Appalachian Piedmont. *Journal of Structural Geology*, **9**, 809-817.
- Dipple, G.M. & Ferry, J.M. (1992): Metasomatism and fluid flow in ductile fault zones. *Contributions to Mineralogy and Petrology*, **112**, 149-164.
- Dipple, G.M., Wintsch, R.P. & Andrews, M.S. (1990): Identification of the scales of differential element mobility in a ductile fault zone. *Journal of metamorphic Geology*, **8**, 645-661.
- Dutrige, G. & Burg, J.-P. (1997): Strain localisation in an orthogneiss laccolith ( the Pinet Massif, Aveyron, southern France). *Tectonophysics*, **280**, 47-60.
- Erslev, E.A. & Ward, D.J. (1994): Non-volatile element and volume flux in coalesced slaty cleavage. *Journal of Structural Geology*, **16**, 531-553.
- Etheridge, M.A., Symonds, P.A. & Powell, T.G. (1988): Application of the detachment modell for continental extension to hydrocarbon exploration in extensional basins. *The APEA Journal*, 167-187.
- Etheridge, M.A., Wall, V.J. & Cox, S.F. (1984): High fluid pressure during regional metamorphism and deformation: Implications for mass transport and eformation mechanisms. *Journal of Geophysicl Research*, **89**, 4344-4358.
- Etheridge, M.A., Wall, V.J. & Vernon, R.H. (1983): The role of fluid phase during regional metamorphism and deformation. *Journal of metamorphic Geology*, **1**, 205-226.
- Evans, B., Frederich, J.T. & Wong, T.-F. (1990): The Brittle-Ductile Transition in Rocks: Recent Experimental and Theoretical Progress. *Geophysical Monograph (The Brittle-Ductile Transition in Rocks)*, **56**, 1-20.
- Fisher, Q.J. & Knipe, R.J. (1998): Fault sealing processes in siliciclastic sediments. In Jones, G., Fisher, Q.J. & Knipe, R.J. (eds) *Faulting, Fault Sealing and Fluid Flow in Hydrocarbon Reservoirs*. Geological Society, London, Special Publication, **147**, 117-134.

- Fletcher, R.C. & Hofmann, A.W. (1974): Simple models of diffusion and combined diffusion-infiltration metasomatism. In: *Geochemical Transport and Kinetics*, Carnegie Inst., Washington, D.C., (eds. A.W.Hofmann, B.J. Gilletti, H.S. Yoder Jr., E.A. Yund), **634**, 243-259.
- Fliervoet, T.F. (1995): Deformation Mechanisms in Fine Grained Quartz-Feldspathic mylonites. *Mededelingen van de Faculteit Aerwetenschappen*, Universiteit Utrecht, PhD thesis, 167 pp.
- Forbes, W.C. & Flowers, M.J.F. (1974): Phase relations of titan-phlogopite,  $K_2Mg_4TiAl_2Si_6O_{20}(OH)$ : - a refractory phase in the upper mantle? *Earth and Planetary Science Letters*, **22**, 60-66.
- Fountain, D.M. (1976): The Ivrea-Verbano and Strona-Ceneri zones, northern Italy: a cross section of the continental crust new evidence from seismic velocities. *Tectonophysics*, **33**, 145-166.
- Fournier, R.O. & Potter II, R.W. (1982): An equation correlating the solubility of quartz in water from 25° to 900°C at pressures up to 10,000 bars. *Geochimica et Cosmochimica Acta*, **46**, 1969-1974.
- Franz, L., Teufel, S. & Oncken, O. (1996): Thermische Entwicklung der Ivrea- und Strona-Ceneri-Zone (N-Italien). *Terra Nostra*, **2**, 58-60.
- Fricke, H.C., Wickham, S.M. & O'Neil, J.R. (1992): Oxygen and hydrogen isotope evidence for meteoric water infiltration during mylonitization and uplift in the Ruby Mountains - East Humboldt Range core complex, Nevada. *Contributions to Mineralogy and Petrology*, **11**, 203-221.
- Gapais, D., Bale, P., Choukroune, P., Cobbold, P.R., Mahjoub, Y. & Marquer, D. (1987): Bulk kinematics from shear zone patterns: some field examples. *Journal of Structural Geology*, **9**, 635-646.
- Gapais, D. & White, S.H. (1982): Ductile Shear Bands in a Natural Deformed Quarzite. *Textures and Mikrostrukturen*, **5**, 1-17.
- Giggenbach, W.F. (1984): Mass transfer in hydrothermal alteration systems - A conceptual approach. *Geochimica et Cosmochimica Acta*, **48**, 2693-2711.
- Glazner, A.F. & Bartley, J.M. (1991): Volume loss, fluid flow and the state of strain in extensional mylonites from the Central Mojave Desert, California. *Journal of Structural Geology*, **13**, 587-594.
- Goddard, J.V. & Evans, J.P. (1995): Chemical changes and fluid-rock interaction in faults of crystalline thrust sheets, northeastern Wyoming, U.S.A. *Journal of Structural Geology*, **17**, 533-547.
- Govindaraju, K. (1994): Special Issue of Geostandard Newsletter. -Vol XVIII, 158 S.
- Grant, J.A. (1986): The isocon diagram - a simple solution to Gresens' equation for metasomatic alteration. *Economic Geology*, **81**, 1976-1982.
- Gratier, J.P. & Gamond, J.F. (1990): Transition between seismic and aseismic deformation in the upper crust. In *Deformation, Mechanisms, Rheology and Tectonics*, (eds. Knipe, R.J. & Rutter, E.H.) Geological Society, Special Publication, **54**, 461-474.
- Gresens, R.L. (1967): Composition-volume relationships of metasomatism. *Chemical Geology*, **2**, 47-55.
- Gross, M. (1995): Fracture partitioning: Failure mode as a function of lithology in the Monterey Formation of coastal California. *Geological Society of America Bulletin*, **107**, 779-792.
- Handy, M.R., Franz, L., Heller, F., Janott, B. & Zurbiggen, R. (1999a): Multistage Accretion, Orogenic Stacking, and Exhumation of the Continental Crust (Ivrea crustal section, Italy and Switzerland). *Tectonics*, in press.
- Handy, M.R., Wissing, S.B. & Streit, J.E. (1999b): Frictional-viscous flow in mylonite with varied bimineralic composition and its effect on lithospheric strength, *Tectonophysics*, **303**, 175-191.
- Handy, M.R. & Zingg, A. (1991): The tectonic and rheological evolution of an attenuated cross section of the continental crust: Ivrea crustal section, southern Alps, northern Italy and southern Switzerland. *Geological Society of America Bulletin*, **103**, 236-253.
- Handy M.R. (1987): The structure, age and kinematics of the Pogallo Fault Zone; Southern Alps, northwestern Italy. *Eclogae Geologicae Helvetiae*, **80**, 593-632.

- Handy, M.R. (1986): The structure and rheological evolution of the Pogallo Fault Zone, a deep crustal dislocation in the southern Alps of northwestern Italy (prov. Novara). Dissertation, Universität Basel, 327 pp.
- Hanmer, S. & Passchier, C.W. (1991): Shear-sense indicators: a review. *Geological Survey of Canada Paper*, **90**, 1-71.
- Hanmer, S.K. (1986): Asymmetrical pull-aparts and foliation fish as kinematic indicators. *Journal of Structural Geology*, **8**, 111-121.
- Harris S.K. & Cobbold P.R. (1984): Developement of conjugate shear bands during bulk simple shearing. *Journal of Structural Geology*, **7**, 37-44.
- Hayama, Y. (1959): Some consideration of the Color of Biotite an 1st Relation to Metamorphism. *Journal of the geological Society of Japan*, **65**, no. 760.
- Hobbs, B.E. & Ord, A. (1988): Plastic Instabilities: Implications for the Origin of Intermediate and Deep Focus Earthquakes. *Journal of Geophysical Research*, **93**, 10,521-10,540.
- Hobbs, B.E., Ord, A. & Teyssier, C. (1986): Earthquakes in Ductile Regimes? *Pageoph*, **124**, 309-336.
- Hobbs, B.E., Means, W.D. & Williams, P.F. (1976): An outline of structural geology, John Wiley & Sons, New York, 571 pp.
- Hodges, K.V. & Fountain, D.M. (1984): Pogallo Line, South Alps, northern Italy: An intermediate crustal level, low-angle normal fault? *Geology*, **12**, 151-155.
- Holdaway, M.J. (1971): Stability of andalusite and the aluminum silicate phase diagram. *American Journal of Science*, **271**, 97-131.
- Hoschek, G. (1973): Zur Stabilität metamorpher Biotit-Paragenesen. *Tschermaks mineralogische und petrographische Mitteilungen*, **20**, 48-58.
- House, W.M. & Gray, D.R. (1982): Cataclasites along the Saltville thrust, U.S.A. and their implications for thrust-sheet emplacement. *Journal of Structural Geology*, **4**, 257-269.
- Hubbert, M.K. & Rubey, W.W. (1959): Role of fluid pressure in mechanics of overthrust faulting. *Geological Society of American Bulletin*, **70**, 115-166.
- Hull, J. (1988): Thickness-displacement relationships for deformation zones. *Journal of Structural Geology*, **10**, 431-435.
- Hunziker, J.C. (1974): Rb-Sr and K-Ar Determinations and the Alpine Tectonic History of the Western Alps. *Memorie degli Instituti di Geologia e Mineralogia, Università di Padova*, **31**, 1-54.
- Janda, I., Schroll, E. & Sedlazek, M. (1965): Zum Problem der geochemischen Unterscheidung von Para- und Orthoamphiboliten am Beispiel einiger Vorkommen des Waldviertels und der Ostalpen. *Tschermaks Mineralogische und Petrographische Mitteilungen*, **10**, 552-?.
- Jaenecke, S.U. & Evans, J.P. (1988): Feldspar-influenced rock rheologies. *Geology*, **16**, 1064-1067.
- Kerrick, R. (1986): Fluid infiltration into fault zones: Chemical, isotopic, and mechanical effects. *Pure and Applied Geology*, **110**, 269-288.
- Khaffagy, M. (1971): Zur Geochemie der Spitzergneise und der Paragneisserie des Kamptales, Niederösterreich. *Jahrbuch der Geologischen Bundesanstalt (Wien)*, **17**, 171-?.
- Kirby, S.H. (1980): Tectonic stresses in the lithosphere: Constraints provided by experimental deformation of rocks. *Journal of Geophysical Research*, **89**, 6353-6363.
- Knipe, R.J & McCaig, A.M. (1994): Microstructural and microchemical consequences of fluid flow in deforming rocks. - In: Geofluids: Origin, Migration and Evolution of Fluids in Sedimentary Basins (ed. J.Parnell), *Geological Society Special Publication*, **78**, 99-111.
- Kohlstedt, D.L., Evans, B. Mackwell, S.J. (1995): Strength of the lithosphere: Constraints imposed by laboratory experiments. *Journal of Geophysical research*, **100**, 17,587-17,602.

- Kretz, M. (1983): Symbols for rock-forming minerals. *American Mineralogist*, **68**, 277-279.
- Leitch, C.H.B. & Lentz, D.R. (1994): The Gresens approach to mass balance constraints of alteration systems: methods, pitfalls, examples, in Lentz, D.R., ed., Alteration and Alteration Processes associated with Ore-forming Systems: *Geological Association of Canada, Short Course Notes*, **11**, 161-192.
- Lin, A. (1999): S-C cataclasite in granitic rock. *Tectonophysics*, **304**, 257-273.
- Liou, J.G., Maruyama, S. & Cho, M. (1985): Phase equilibria and mineral parageneses of metabasites in low-grade metamorphism. *Mineralogical Magazine*, **49**, 321-333.
- Lister, G. & Snoke, A.W. (1984): S-C mylonites. *Journal of Structural Geology*, **6**, 617-638
- Logan, J.M., Friedman, M., Higgs, N.G., Dengo, C. & Shimamoto, T. (1979): Experimental studies of simulated gouge and their application to studies of natural fault zones. *U.S. Geological Survey Open-file Report*, 791239, 305-343.
- Marquer, D. & Burkhard, M. (1992): Fluid circulation, progressive deformation and mass transfer processes in the upper crust: the example of basement-cover relationships in the External Crystalline Massifs, Switzerland. *Journal of Structural Geology*, **14**, 1047-1057.
- Mason, B. (1966): Principles of Geochemistry. John Wiley & Sons, New York, 329 pp.
- McCaig, A.M. (1997): The geochemistry of volatile fluid flow in shear zones. In: Deformation-enhanced Fluid Transport in the Earth's Crust and Mantle. Edited by M.B. Holness, Chapman & Hall, London, 227-266.
- McCaig, A.M., Wickham, S.M. & Taylor, H.P. (1990): Deep fluid circulation in alpine shear zones, Pyrenees, France: field and oxygen isotope studies. *Contributions to Mineralogy and Petrology*, **106**, 41-60.
- McCaig, A.M. & Knipe, R.J. (1990): Mass-transport mechanisms in deforming rocks: Recognition using microstructural and microchemical criteria. *Geology*, **18**, 824-827.
- McCaig, A.M. (1987): Deformation and fluid-rock interaction in metasomatic dilatant shear bands. *Tectonophysics*, **135**, 121-132.
- McNulty, B.A. (1995): Pseudotachylite generated in the semi-brittle and brittle regimes, Bench Canyon shear zone, central Sierra Nevada. *Journal of Structural Geology*, **17**, 1507-1527.
- Means, W.D. (1994): Shear zones and rock history. *Tectonophysics*, **247**, 157-160.
- Mikuchi, E.J. & Ridley, J.R. (1993): The hydrothermal fluid of archean lode-gold deposits at different metamorphic grades - compositional constraints from ore and wallrock alteration assemblages. *Mineralium Deposita*, **28**, 469-481.
- Mitra, G. (1979): Ductile deformation zones in Blue Ridge basement rocks and estimation of finite strains. *Geological Society of American Bulletin*, **90**, 935-951.
- Mohanty, S. & Ramsay, J.G. (1993): Strain partitioning in ductile shear zones: an example from a Lower Pennine nappe of Switzerland. *Journal of Structural Geology*, **16**, 663-676.
- Moore, D.E., Summers, R. & Byerlee, J.D. (1989): Sliding behavior and deformation textures of heated illite gouge. *Journal of Structural Geology*, **11**, 329-342.
- O'Hara, K. (1994): Fluid-rock interaction in crustal shear zones: A directed percolation approach. *Geology*, **22**, 843-846.
- O'Hara, K. (1990): State of strain in mylonites from the western Blue Ridge province, southern Appalachians: the role of volume loss. *Journal of Structural Geology*, **12**, 419-430.
- O'Hara, K. & Blackburn, W.H. (1989): Volume-loss model for trace-element enrichments in mylonites. *Geology*, **17**, 524-527.
- O'Hara, K. (1988): Fluid flow and volume loss during mylonitization: an origin for phyllonite in an overthrusting setting, North Carolina, U.S.A. *Tectonophysics*, **156**, 21-336.
- Oliver, N.H.S. (1996): Review and classification of structural controls on fluid flow during regional metamorphism. *Journal of metamorphic Geology*, **14**, 477-492.

- Oliver, N.H.S., Valenta, R.K. & Wall, V.J. (1990): The effect of heterogeneous stress and strain on metamorphic fluid flow, Mary Kathleen, Australia, and a model for large-scale fluid circulation. *Journal of metamorphic Geology*, **8**, 311-331.
- Palm, S., Zulauf, G. & Petschick, R. (1995): New geochemical constraints on graphite-enrichment in brittle-ductile shear zones of the KTB superdeep well.- Kontinentales Tiefbohrprogramm der Bundesrepublik Deutschland. *Contribut. 8th annual KTB colloquium, May 25 and 26, 1995, Giessen, Germany (abstract)*, S. 58-61.
- Passchier, C.W. & Simpson, C. (1986): Porphyroclast systems as kinematic indicators. *Journal of Structural Geology*, **8**, 831-844.
- Passchier, C.W. (1984): The generation of ductile to brittle shear bands in a low-angle mylonite zone. *Journal of Structural Geology*, **6**, 273-281.
- Passchier, C.W. (1982): Mylonitic Deformation in the Saint-Barthélemy Massif, French Pyrenees, with the Emphasis on the Genetic Relationship between Ultramylonite und Pseudotachylite, PhD. Thesis Amsterdamm University, GUA papers of Geology, **16**.
- Peacock, D.C.P. (1996): Mapping small faults - why size is not important. *Geoscientist*, **5**, 28-30.
- Philpotts, A.R. (1992): Principles of Igneous and Metamorphic Petrology. Prentice Hall, Englewood Cliffs, New Jersey, 498 pp.
- Platt, J.P. (1984): Secondary cleavages in ductile shear zones. *Journal of Structural Geology*, **6**, 439-442.
- Platt, J.P. & Vissers R.L.M. (1980): Extensional structures in anisotropic rocks. *Journal of Structural Geology*, **2**, 397-410.
- Platt, J.P. (1979): Extensional crenulation cleavage. *Journal of Structural Geology*, **1**, 95-96.
- Poirier, J.P. (1980): Shear localization and shear instability in materials in the ductile field. *Journal of Structural Geology*, **2**, 135-142 (part ll).
- Ramsay, J.G. & Graham, R.H. (1970): Strain variation in shear belts. *Canadian Journal of Earth Sciences*, **7**, 786-813.
- Riedel, W. (1929): Zur Mechanik geologischer Brucherscheinungen. *Centralblatt für Mineralogie, Geologie und Paläontologie*, **1929b**, 354-368.
- Robert, F., Boullier, A. & Firadous, K. (1995): Gold-quartz veins in metamorphic terranes and their bearing on the role of fluids in faulting. *Journal of Geophysical Research*, **100**, 12,861-12,879.
- Robert, J.L. (1976): Titanium solubility in syntectonic phlogopite solid solutions. *Chemical Geology*, **17**, 213-227.
- Ross, J.V. & Lewis, P.D. (1989): Brittle-ductile transition: semi-brittle behavior. *Tectonophysics*, **167**, 75-79.
- Rutter, E.H. (1986): On the nomenclature of mode of failure transitions in rocks. *Tectonophysics*, **122**, 381-387.
- Rutter, E.H., Maddock, R.H., Hall, S.H. & White, S.H. (1986): Comparative microstructures of natural and experimentally produced clay-bearing fault gouges. *Pure and Applied Geophysics*, **124**, 3-30.
- Rutter, E.H. (1983): Pressure solution in nature, theory and experiment. *Journal of the Geological Society, London*, **140**, 725-740.
- Rutter, E.H. (1972): The influence of interstitial waters on the rheological behaviour of calcite rocks. *Tectonophysics*, **14**, 13-33.
- Schmid, R. (1967): Zur Petrographie und Struktur der Zone Ivrea-Verbano zwischen Valle d'Ossola und Val Grande (prov. Novara, Italien). *Schweizerische Mineralogische und Petrologische Mitteilungen*, **47**, 935-1117.
- Schmid, S.M. (1993): Ivrea Zone and Adjacent Southern Alpine Basement, in *Pre-Mesozoic Geology in the Alps* (eds. J.F. von Raumer & F. Neubauer), Springer, Berlin, 677 pp.

- Schmid, S.M. & Handy, M.R. (1991): Towards a genetic classification of fault rocks: Geological usage and tectonophysical implications. In: K. J. Hsü, J. Mackenzie & D. Müller (eds), *Controversies in Modern Geology*. Academic Press, London,
- Schmid, S.M., Aepli, H.R., Heller, F. & Zingg, A. (1989): The role of the Periadriatic Line in the tectonic evolution of the Alps. In: Coward, M.P., Dietrich, D. & Park, R.S. (eds.), *Alpine Tectonics, Geological Society Special Publication*, **45**, 153-171.
- Schmid, S.M., Zingg, A. & Handy, M.R. (1987): The Kinematics of Movements along the Insubric Line and the Emplacement of the Ivrea Zone. *Tectonophysics*, **135**, 47-66.
- Scholz, C.H. (1990): The mechanics of earthquakes and faulting. Cambridge University Press, 439 pp.
- Scholz, C.H. (1989) Mechanics of faulting. *Annual Review of Earth and Planetary Sciences*, **17**, 309-334.
- Scholz, C.H. (1988): The brittle-plastic transition and the depth of seismic faulting. *Geologische Rundschau*, **77**, 319-328.
- Segall, P. & Simpson, C. (1986): Nucleation of ductile shear zones on dilatant fractures. *Geology*, **14**, 56-59.
- Segall, P. & Pollard, D.D. (1983): Nucleation and Growth of Strike Slip Faults in Granite. *Journal of Geophysical Research*, **88**, 555-568.
- Silverstone, J., Morteani, G. & Staude, J.-M. (1991): Fluid channeling during ductile shearing: transformation of granodiorite into aluminous schist in the Tauern Window, Eastern Alps. *Journal of metamorphic Geology*, **9**, 419-431.
- Shimamoto, T. (1989): The origin of S-C mylonites and a new fault zone model. *Journal of Structural Geology*, **11**, 51-64.
- Sibson, R.H. (1992): Implications on fault-valve behaviour for rupture nucleation and recurrence, *Tectonophysics*, **211**, 283-293.
- Sibson, R.H. (1990): Conditions for fault-valve behaviour. In *Deformation, Mechanisms, Rheology and Tectonics*, (eds. Knipe, R.J. & Rutter, E.H.) Geological Society, Special Publication, **54**, 15-28.
- Sibson, R.H. (1986): Earthquakes and rock deformation in crustal fault zones. *Annual Review of Earth and Planetary Sciences*, **14**, 149-175.
- Sibson, R.H. (1983): Continental fault structure and the shallow earthquake source. *Journal of the Geological Society, London*, **140**, 141-167.
- Sibson, R.H. (1982): Fault Zone Models, heat flow, and the depth distribution of earthquakes in the continental crust of the United States. *Bulletin of the Seismological Society of America*, **72**, 151-163.
- Sibson, R.H. (1981): Controls on low-stress hydro-fracture dilatancy in thrust, wrench and normal fault terrains, *Nature*, **289**, 655-657.
- Sibson R.H. (1977): Fault rocks and fault mechanisms. *Journal of the Geological Society of London*, **133**, 191-213.
- Sibson, R.H. (1975): Generation of Pseudotachylite by Ancient Seismic Faulting. *Geophysical Journal of the Royal Astronomical Society*, **43**, 775-794.
- Simpson, C. & Schmid, S.M. (1983): Some Criteria to Deduce the Sense of Movement in Sheared Rocks. *Bulletin of the Geological Society of America*, **94**, 1218-1288.
- Spear, F.S. & Cheney, J.T. (1989): A petrogenetic grid for pelitic schists in the system SiO<sub>2</sub>-Al<sub>2</sub>O<sub>3</sub>-FeO-MgO-K<sub>2</sub>O-H<sub>2</sub>O. *Contributions to Mineralogy and Petrology*, **101**, 149-164.
- Stock, P. (1992): A strain model for antithetic fabric rotation in shear band structures. *Journal of Structural Geology*, **14**, 1267-1275.
- Strehlau J. (1986): A discussion of the extent of rupture in large continental earthquakes. In: (ed.) Earthquake Source Mechanics. *American Geophysical Union*, 131-145.

- Streit, J.E. (1997): Low frictional strength of upper crustal faults: A model. *Journal of Geophysical Research*, **102**, 24,619-24,626.
- Streit, J.E. & Cox, S.F. (1998): Fluid infiltration and volume change during mid-crustal mylonitization of Proterozoic granite, King Island, Tasmania. *Journal of Structural Geology*, **16**, 197-212.
- Streit, J.E. (1998): Multiple generation cataclasites in Fault-Related Rocks:- A Photographic Atlas (eds. Snee, A.W., Tullis, J.A. & Todd, V.R.), Princeton University Press, N.J., p. 54-55.
- Tchalenko, J.S. (1970): Similarities between Shear Zones of Different Magnitudes. *Geological Society of America Bulletin*, **81**, 1625-1640.
- Tobisch, O.T., Barton, M.D. Vernon, R.H. & Paterson, S.R. (1991): Fluid-enhanced deformation: transformation of granitoids to bandes mylonites, western Sierra Nevada, California, and southern Australia. *Journal of Structural Geology*, **13**, 1137-1156.
- Vauchez, A. (1987): The developement of discrete shear-zones in a granite: stress, strain and changes in deformation mechanisms. *Tectonophysics*, **133**, 137-157.
- Voll, G. (1976): Recrystallization of quartz, biotite, and feldspars from Ernfeld to the Levantina nappe, Swiss Alps. *Schweizerische Mineralogische und Petrologische Mitteilungen*, **56**, 641-647.
- Walder, J. & Nur, A. (1984): Porosity reduction and crustal pore pressure development. *Journal of Geophysical Research*, **89**, 11,539-11,548.
- Walther, J.V. (1994): Fluid-rock reactions during metamorphism at mid-crustal conditions. *Journal of Geology*, **29**, 1-62.
- Walther, J.V. & Helgeson, H.C. (1977): Calculations of the thermodynamic properties of aqueous silica and th solubility of quartz and its polymorphs at high pressures and temperatures. *American Journal of Sciences*, **277**, 1315-1351.
- Wedepohl, K.H. (1969): Handbook of Geochemistry.
- White S.H., Burrows S.E., Carreras J., Shaw N.D. & Humphreys F.J. (1980): On mylonites in ductile shear zones. *Journal of Structural Geology*, **2**, 175-187.
- White S.H. & Knipe R.J. (1978): Transformation and reaction enhanced ductility in rocks. *Journal of the Geological Society*, **135**, 513-516.
- White, S. (1975): Tectonic deformation and recrystallization of oligoclase. *Contributions to Mineralogy and Petrology*, **50**, 287-304.
- Williams P.F. & Price G.P. (1990): Origin of kinkbands and shear-band cleavage in shear zones: an experimental study. *Journal of Structural Geology*, **12**, 145-164.
- Wintsch, R.P., Christoffersen, R. & Kronenberg, A.K. (1995): Fluid-rock reaction weakening of fault zones. *Journal of Geophysical Research*, **100**, 13,021-13,032.
- Wood, B.J. & Walther, J.V. (1986): Fluid flow during metamorphism and ist implications for fluid-rock ratios. In *Fluid-Rock Interaction During Metamorphism*, (eds. Wood, B.J. & Walther, J.V) Springer-Verlag, 89-109.
- Zhang, S., Patterson, M.S. & Cox, S.F. (1994): Porosity and permeability evolution during hot isostatic pressing of calcite aggregates. *Journal of Geophysical Research*, **99**, 15741-15760.
- Zhang, X., Nesbitt, B.E. & Muehlenbachs, K. (1989): Gold mineralization in the Okanagan Valley, Southern British Columbia: fluid inclusion and stable isotope studies. *Economic geology*, **84**, 410-424.
- Zingg, A. (1983): The Ivrea and Strona-Ceneri Zones (Southern Alps, Ticino and Northern Italy): A review. *Schweizerische Mineralogische und Petrologische Mitteilungen*, **63**, 361-392.
- Zingg, A., Handy, M.R., Hunziker, J.C. & Schmid, S.M. (1990): Tectonometamorphic history of the Ivrea Zone and ist relationship to the crustal evolution of the Southern Alps. *Tectonophysics*, **182**, 169-192.

Zulauf, G., Palm, S., Petschick, R. & Spies, O. (1999): Element mobility and volumetric strain in brittle and brittle-viscous shear zones of the superdeep well KTB (Germany). *Chemical Geology*, **156**, 135-149.

Zurbriggen, R., Franz, L. & Handy, M.R. (1997): Pre-Variscan deformation, metamorphism and magmatism in the Strona-Ceneri Zone (southern Alps of northern Italy and southern Switzerland).