
VI. Literaturverzeichnis

- [1] WHO. Lymphatic Filariasis: The Disease and its Control. WHO Technical Report Series 821, 1-71 (1992)
- [2] J. Dönges
Parasitologie, 2. Auflage, Georg Thieme Verlag (1988)
- [3] P. Wenk
Der Invasionsweg der metazyklischen Larven von *Litomosoides carinii* Chandler 1931 (Filariidae). Z. Parasitenkd. 28, 240-263 (1967)
- [4] D.S. Bertram
Dynamics of parasitic equilibrium in cotton rat filariasis. Adv. Parasitol. 4, 255-319 (1966)
- [5] D.W. Büttner und P. Rucz
Macro- and microfilariae in nodules from onchocerciasis patients in the Yemen Arab Republic. Tropenmed. Parasitol. 34, 113-121 (1991)
- [6] H. Schulz-Key
Ivermectin in the treatment of onchocerciasis. ISI Philadelphia, Atlas of Science, Pharmacology 1, 246-249 (1987)
- [7] R.M. Maizels und R.A. Lawrence
Immunological tolerance: The key feature in human filariasis? Parasitol. Today 7, 271-276 (1991)
- [8] D.I. Pritchard, C. Hewitt und R. Moqbel
The relationship between immunological responsiveness controlled by T-helper 2 lymphocytes and infections with parasitic helminths. Parasitol. Today 115, 533-544 (1997)
- [9] M. Karam und N. Weiss
Seroepidemiological investigations of onchocerciasis in a hyperendemic area of West Africa. Am. J. Trop. Med. Hyg. 34, 907-917 (1985)
- [10] E.A. Ottesen
Immunological aspects of lymphatic filariasis and onchocerciasis in man. Trans. Roy. Soc. Med. Hyg. 78 (Suppl.), 9-18 (1984)
-

- [11] N.W. Brattig, F.W. Tischendorf, G. Strate und C.E. Medina-de la Garza
Eosinophil-larval-interaction in onchocerciasis: Heterogeneity of *in vitro* adherence of eosinophils to infective third and fourth stage larvae and microfilariae of *Onchocerca volvulus*.
Parasite Immunol. 13, 13-22 (1991)
- [12] G. Strote, N.W. Brattig und F.W. Tischendorf
Ultrastructural study of the interaction between eosinophilic granulocytes and third and fourth stage larvae of *Onchocerca volvulus*.
Acta Tropica 48, 1-8 (1991)
- [13] M. Röllinghoff und M. Rommel
Immunologische und molekulare Parasitologie
Gustav Fischer Verlag, Jena, 1994
- [14] A. Haque und A. Capron
Filariasis: antigens and host-parasite interactions. In: T.T. Peapon (ed.) Towards new strategies for vaccines. Parasite Antigens 7, NY, 317-402 (1984)
- [15] B.T. Grenfell, E. Michael und D.A. Denham
A model for the dynamics of human lymphatic filariasis. Parasitol. Today 7, 318-323 (1991)
- [16] J.A. Scott, E.M. MacDonald und B. Terman
A description of the stages in the life cycle of the Filarial worm *Litomosoides carinii*.
J. Parasitol. 37, 425-432 (1951)
- [17] H. Zahner, E.J.L. Soulsby, E. Weidner und G. Lämmler
Effect of diethyl carbamazine on the microfilariae of *Litomosoides carinii* in *Mastomys natalensis*: dynamics of cell adhesion, immobilization and elimination of microfilariae.
Tropenmed. Parasit. 29, 15-26 (1978)
- [18] H. Zahner und G. Schares
Experimental chemotherapy of filariasis: comparative evaluation of the efficacy of the filaricidal compounds in *Mastomys coucha* infected with *Litomosoides carinii*, *Acanthocheilonema viteae*, *Brugia malayi* and *Brugia pahangi*.
Acta Tropica 52, 221-226 (1993)
- [19] R.J. Flynn
Parasites of laboratory animals.
Iowa state university press, Ames, Iowa, 425-427 (1973)

- [20] F. Hawking
The reproductive system of
Litomosoides carinii, a filar-
ial parasite of the cotton rat.
Ann. Trop. Med. Parasit. 48,
382-385 (1954)
- [21] P. Wenk, B. Illgen und
H.M. Seitz
In-vitro-Versuche mit
Litomosoides carinii
(Nematoda: Filarioidea).
Z. Parasitenkd. 55, 63-72
(1978)
- [22] J. Mössinger und P. Wenk
Fecundity of *Litomosoides*
carinii (Nematoda, Filar-
ioidea) *in vivo* and *in vitro*.
Z. Parasitenkd. 72, 121-131
(1986)
- [23] J. Mössinger
In vitro cultivation of adult
Litomosoides carinii: evalu-
ation of basic culture media,
gas phases and supplements.
Parasitology 103, 85-95
(1991)
- [24] A.E.R. Taylor
Maintenance of filarial
worms *in vitro*.
Experiment. Parasitol. 9,
113-120 (1960)
- [25] I. Kharat, U. Satyanarayana,
S.N. Ghirnkar und B.C.
Harinath
In vitro cultivation of *Wuchereria*
bancrofti microfilariae.
Indian J. Experiment. Biol.
18, 1245-1247 (1980)
- [26] E.D. Franke und P.P. Wein-
stein
Dipetalonema viteae
(Nematoda, Filarioidea):
culture of third stage larvae
to young adults *in vitro*.
Science 221, 161-162
(1983)
- [27] F. Engelbrecht und H.
Schulz-Key
Observations on adult
Onchocerca volvulus main-
tained *in vitro*.
Trans. Roy. Soc. Trop. Med.
Hyg. 78, 212-215 (1984)
- [28] I. Kharat und B.C. Harinath
In vivo and *in vitro*
development of *Wuchereria*
bancrofti microfilariae.
Indian J. Med. Res. 82, 127-
132 (1985)
- [29] S. Townson, C. Connelly
und R. Muller
Optimizations of culture
conditions for the main-
tenance of *Onchocerca*
guttuosa adult worms *in*
vitro.
J. Helminth. 60, 323-330
(1986)

- [30] H.L. Callahan, J.M. Wakeman, R.K. Crouch und E.R. James
An *in vitro* radiolabel uptake viability assay for *Onchocerca* microfilariae. J. Parasitol. 75, 142-144 (1989)
- [31] P.T. Soboslay, C.M. Dreweck, H.R. Taylor, B. Bratman, P. Wenk und B.M. Greene
Experimental onchocerciasis in chimpanzees: Cell-mediated immune response, and production and effect of IL-1 and IL-2 with *Onchocerca volvulus* infection. J. Immunol. 147, 346-353 (1991)
- [32] P.T. Soboslay, C.M. Dreweck, H.R. Taylor, B. Bratman, H. Schulz-Key und B.M. Greene
Experimental onchocerciasis in chimpanzees: Antibody responses and antigen recognition after primary infection with *Onchocerca volvulus*. Exp. Parasitol. 74, 367-380 (1992)
- [33] P.T. Soboslay, C.M. Dreweck, W.H. Hoffmann, C.G.K. Linder, C. Heuschkel, H. Görgen, M. Banla und H. Schulz-Key
Ivermectin-facilitated immunity in onchocerciasis. Reversal of lymphocytopenia cellular anergy and deficient cytokine production after single treatment. Clin. Exp. Immunol. 89, 407-413 (1992)
- [34] W. Harnett und R.M.E. Parkhouse
The nature and function of nematode surface and excretory-secretory antigens. In: Perspectives in nematode physiology and biochemistry, M.L. Sood (ed.), M/S Naredra Publication House, New Delhi (1993)
- [35] G.F. Mitchell und H.M. Levers
Studies on immune responses to parasite antigens in mice. Int. Arch. Allergy appl. Immun. 52, 235-143 (1976)
- [36] E. Beckmann und D. Lewitt:
Phosphorylcholine on *Streptococcus pneumoniae* R 36a is responsible for *in vitro* polyclonal antibody secretion by human peripheral blood lymphocytes. J. Immunol. 132, 2174-2176 (1984)
- [37] R.B. Lal, V. Kumaraswami, C. Steel und T.B. Nutman
Phosphocholine-containing antigens of *Brugia malayi* nonspecifically suppress lymphocyte function. Am. J. Trop. Med. Hyg. 42, 56-64 (1990)

- [38] M. Hintz, M. Kasper, B. Stahl, R. Geyer, H.-O. Kalinowski, M. Karas, S. Kühnhardt, H.-H. Schott, F. Conraths, H. Zahner und S. Stirm
Dimethylaminoethanol is a major component in the *Litomosoides carinii* microfilarial sheath.
Mol. Biochem. Parasitol. 76, 325-328 (1996)
- [39] H. Apfel, W.F. Eisenbeiss und T.F. Meyer
Changes in the surface composition after transmission of *Acanthocheilonema viteae* third stage larvae into the jird.
Mol. Biochem. Parasitol. 48, 1-8 (1991)
- [40] J. Srivatsan, D.F. Smith und R.D. Cummings
The human blood fluke *Schistosoma mansoni* synthesizes glycoproteins containing the Lewis^x antigen.
J. Biol. Chem. 267, 20196-20203 (1992)
- [41] J. Srivatsan, D.F. Smith und R.D. Cummings
Schistosoma mansoni synthesizes novel biantennary Asn-linked oligosaccharides containing terminal β -linked N-acetylgalactosamine.
Glycobiology 2, 445-452 (1992)
- [42] G.J.v.Dam, A.A. Bergwerff, J.E. Thomas-Oates, J.P. Rotmans, J.P. Kamerling, J.F.G. Vliegthart und A.M. Deelder
The immunologically reactive O-linked polysaccharide chains derived from cathodic antigen isolated from the human blood fluke *Schistosoma mansoni* have Lewis^x as repeating unit.
Eur. J. Biochem. 225, 467-482 (1994)
- [43] K. Nyame, J.B. Pilcher, V. Tsang und R.D. Cummings
Infection of monkeys and humans with the helminthic parasite *Schistosoma mansoni* induces autoimmunity to the Lewis^x antigen.
Glycoconjugate J. 12, 531 (1995)
- [44] A.K. Nyame, J.B. Pilcher, V.C.W. Tsang und R.D. Cummings
Schistosoma mansoni infection in humans and primates induces cytolytic antibodies to surface Le^x determinants on myeloid cells.
Exp. Parasitol. 82, 191-200 (1996)
- [45] K.H. Khoo, R.M. Maizels, A.P. Page, G.W. Taylor, N.B. Rendell und A. Dell
Characterization of glycoproteins: the major O-glycans of *Toxocara* excretory-secretory antigens are O-methylated trisaccharides.
Glycobiology 1, 163-171 (1991)

- [46] H.L. Callahan, R.K. Crouch und E.R. James
Helminth anti-oxidant enzymes: a protective mechanism against host oxidants.
Parasitol. Today 4, 218-225 (1988)
 - [47] D.V. Pastrana, N. Raghavan, P. Fitzgerald, S. Eisinger, C. Metz, R. Bucala, R.P. Schleimer, C. Bickel und A.L. Scott
Filarial Nematode Parasites Secrete a Homologue of the Human Cytokine Macrophage Migration Inhibition Factor.
Infection and Immunity 66, 5955-5963 (1998)
 - [48] M. Philipp, M.J. Worms, D.J. McLaren, B.M. Ogilvie, R.M. Parkhouse und P.M. Taylor
Surface proteins of a filarial nematode: a major soluble antigen and a host component on the cuticle of *Litomosoides carinii*.
Parasite Immunol. 6, 63-82 (1984)
 - [49] T.J. Klonisch
Isolierung und Analysen der Mikrofilarien-Scheiden von *Brugia malayi* und *Brugia pahangi*.
Inaugural-Dissertation, Fachbereich Humanmedizin, Justus-Liebig-Universität Gießen
 - [50] U. Schraermeyer, W. Peters und H. Zahner
Formation by the uterus of a peripheral layer of the sheath in microfilariae of *Litomosoides carinii* and *Brugia malayi*.
Parasitol. Res. 73, 557-564 (1987)
 - [51] M.G. Simpson und B.R. Laurence
Histochemical studies on microfilariae.
Parasitology 64, 61-88 (1972)
 - [52] G. Sayers, C.D. Mackenzie und D.A. Denham
Biochemical surface components of *Brugia pahangi* microfilariae.
Parasitology 89, 425-434 (1984)
 - [53] B. Hammerberg, Y. Rikihisa und M.W. King
Immunoglobulin interactions with surfaces of sheathed and unsheathed microfilariae.
Parasite Immunol. 6, 421-434 (1984)
 - [54] W. de Souza, T. Souto-Padron, G. Dreyer und L.D. de Andrade
Fine structure and localization of anionic sites on the surface of microfilariae of *Wuchereria bancrofti*.
J. Submicrosc. Cytol. Pathol. 21, 121-129 (1989)
-

- [55] E. Devaney
Lectin-binding characteristics of *Brugia pahangi* microfilariae.
Trop. Med. Parasitol. 36, 25-28 (1985)
- [56] U.R. Rao, R. Chandrashekar und D. Subrahmanyam
Litomosoides carinii: characterization of surface carbohydrates of microfilariae and infective larvae.
Trop. Med. Parasitol. 38, 15-18 (1987)
- [57] U.R. Rao, R. Chandrashekar, P.B. Parab, G.R. Rajasekariah und D. Subrahmanyam
Lectin-binding characteristics of *Wuchereria bancrofti* microfilariae.
Acta Tropica 44, 35-42 (1987)
- [58] N.A. Kaushal, A.J.G. Simpson, R. Hussain und E.A. Ottesen
Brugia malayi: stage-specific expression of carbohydrates containing *N*-acetyl-D-glucosamine on the sheathed surfaces of microfilariae.
Exp. Parasitol. 58, 182-187 (1984)
- [59] J.A. Fuhrman und W.F. Piessens
Chitin synthesis and sheath morphogenesis in *Brugia malayi* microfilariae.
Mol. Biochem. Parasitol. 17, 93-104 (1985)
- [60] G. Bardehle, T. Klonisch, H.-H. Schott, S. Stirm und H. Zahner
Isolation of pure sheaths of *Litomosoides carinii* microfilariae.
Parasitol. Res. 74, 188-190 (1987)
- [61] G. Bardehle, A. Jepp-Libutzki, D. Linder, K. Moehnle, H.-H. Schott, H. Zahner, U. Zähringer und S. Stirm
Chemical composition of *Litomosoides carinii* microfilarial sheaths.
Acta Tropica 50, 237-247 (1992)
- [62] G. Bardehle, F.J. Conraths, F. Fahrenholz, M. Hintz, D. Linder, G. Schares, H.-H. Schott, B. Schützle, S. Stirm, W. Stüber und H. Zahner
A major *Litomosoides carinii* microfilarial sheath glycoprotein (gp22): amino terminal sequence and immunological studies with corresponding synthetic peptides.
Parasitology 103, 387-394 (1991)
- [63] G. Bardehle, M. Hintz, D. Linder, G. Schares, H.-H. Schott, S. Stirm und H. Zahner
Litomosoides carinii: extraction of the microfilarial sheath components and antigenicity of the sheath fractions.
Parasitol. Res. 78, 501-508 (1992)

- [64] H. Christ, J. Hirzmann, F. Conraths, H. Zahner, S. Stirm und G. Hobom
Trans-splicing of an early embryo mRNA in *Litomosoides carinii*, coding for the major microfilarial sheath protein gp22.
Gene 121, 219-226 (1992)
- [65] M. Hintz
Die Proteine der Mikrofilarienscheide von *Litomosoides carinii*.
Inaugural-Dissertation, Naturwissenschaftliche Fakultät, Justus-Liebig-Universität Gießen (1994)
- [66] H. Zahner, G. Hobom und S. Stirm
The Microfilarial Sheath and its Proteins.
Parasitol. Today 11(3), 116-120 (1995)
- [67] G. Schares, B. Schützle, H. Zahner und F.J. Conraths
Surface antigens of *Litomosoides carinii* microfilariae: agglutinating antibodies react with 40 and 120 kiloDalton molecular mass.
Parasitology 109, 73-82 (1994)
- [68] K. Mehta, U.R. Rao, A.C. Vickery und P.J. Birckbichler
Significance of transglutaminase-catalyzed reactions in growth and development of filarial parasite, *Brugia malayi*.
Biochem. Biophys. Res. Commun. 173, 1051-1057 (1990)
- [69] K. Mehta, U.R. Rao, A.C. Vickery und L. Fesus
Identification of novel transglutaminase from the filarial parasite *Brugia malayi* and its role in growth and development.
Mol. Biochem. Parasitol. 53, 1-16 (1992)
- [70] S.C Hubbard und R.J. Ivatt
Synthesis and processing of asparagine-linked oligosaccharides.
Ann. Rev. Biochem. 50, 556-583 (1981)
- [71] R. Kornfeld und S. Kornfeld
Assembly of asparagine-linked oligosaccharides.
Ann. Rev. Biochem. 54, 631-664 (1985)
- [72] C.B. Hirschberg und M.D. Snider
Topography of glycosylation in the rough endoplasmic reticulum and golgi apparatus.
Ann. Rev. Biochem. 56, 63-87 (1987)
- [73] J. Roth
Subcellular organisation of glycosylation in mammalian cells.
Biochem. Biophys. Acta 906, 405-436 (1987)

- | | |
|--|---|
| <p>[74] P.W. Robins
Genetic regulation of asparagine-linked oligosaccharide synthesis. <i>Biochem. Soc. Trans.</i> <u>19</u>, 642-645 (1991)</p> | <p>[79] D.J. Sharkey und R. Kornfeld
Development regulation of asparagine-linked oligosaccharide synthesis in <i>Dictyostelium discoideum</i>. <i>J. Biol. Chem.</i> <u>266</u>, 18485-18497 (1991)</p> |
| <p>[75] S. Ganai, J.J. Cazzulo und A.J. Parodi
A major proportion of <i>N</i>-glycoproteins are transiently glucosylated in the endoplasmic reticulum. <i>Biochem. J.</i> <u>30</u>, 3098-3104 (1991)</p> | <p>[80] A.D. Elbein
Glycosidase inhibitors: inhibitors of <i>N</i>-linked oligosaccharide processing. <i>FASEB J.</i> <u>5</u>, 3055-3063 (1991)</p> |
| <p>[76] A.W. Brändli
Mammalian glycosylation mutants as tools for the analysis and reconstruction of protein transport. <i>Biochem. J.</i> <u>276</u>, 1-12 (1991)</p> | <p>[81] M.A. Lehrman
Biosynthesis of <i>N</i>-acetylglucosamine-P-P-dolichol, the committed step of asparagine-linked oligosaccharide assembly. <i>Glycobiology</i> <u>1</u>, 553-562 (1991)</p> |
| <p>[77] M.D. Skudlarek, M.-C. Orgebin-Crist und D.R.P. Tulsiani
Asparagine-linked glycoprotein biosynthesis in rat epididymis. <i>Biochem. J.</i> <u>277</u>, 213-221 (1991)</p> | <p>[82] M.J. Spiro und R.G. Spiro
Potential regulation of <i>N</i>-glycosylation precursor through oligosaccharide-lipid hydrolase action and glucosyltransferase-glucosidase shuttle. <i>J. Biol. Chem.</i> <u>266</u>, 5311-5317 (1991)</p> |
| <p>[78] A. El Battari, P. Forget, F. Fouchier und P. Pic
Effect of inhibiting <i>N</i>-glycosylation or oligosaccharide processing on vasoactive intestinal peptide receptor binding activity and structure. <i>Biochem. J.</i> <u>278</u>, 527-533 (1991)</p> | <p>[83] H.A. Kaplan, J.K. Welply und W.J. Lennartz
Oligosaccharyltransferase: the central enzyme in the pathway of glycoprotein assembly. <i>Biochem. Biophys. Acta</i> <u>906</u>, 161-173 (1987)</p> |

- [84] C. Abeijon und C.B. Hirschberg
Topography of initiation of *N*-glycosylation reactions.
J. Biol. Chem. 265, 14691-14895 (1990)
- [85] C. Abeijon und C.B. Hirschberg
Topography of glycosylation reactions in the endoplasmic reticulum.
TIBS 17, 32-36 (1992)
- [86] E. Bause
Studies on the receptor specificity of asparagine-*N*-glycosyl-transferase from rat liver.
FEBS Lett. 103, 296-299 (1979)
- [87] S. Einarsson, B. Josefsson und S. Lagerkvist
Determination of amino acids with 9-fluorenylmethyl chloroformate and reversed-phase high-performance liquid chromatography.
J. Chromatography 282, 609-618 (1983)
- [88] K.L. Carraway und S.R. Hull
Cell surface mucin-type glycoproteins and mucin-like domains.
Glycobiology 1, 131-138 (1991)
- [89] E. Bause und H. Hettkamp
Primary structural requirements for *N*-glycosylation of peptides in rat liver.
FEBS Lett. 108, 341-344 (1979)
- [90] H. Nishimura, S. Kawabata, W. Kiesel, S. Hase, T. Ikenaka, T. Takao, Y. Shimoniishi und S. Iwanaga
Identification of a disaccharide (Xyl-Glc) and a trisaccharide (Xyl₂-Glc) *O*-glycosidically linked to a serine residue in the first epidermal growth factor-like domain of human factors VII an IX and protein Z and bovine protein Z.
J. Biol. Chem. 264, 20320-20325 (1989)
- [91] G.W. Hart, R.S. Haltiwanger, G.H. Holt und W.G. Kelly
Glycosylation in the nucleus and cytoplasm.
Ann. Rev. Biochem. 58, 841-871 (1989)
- [92] S. Hase und T. Ikenaka
Estimation of elution times on reverse-phase high-performance liquid chromatography of pyridylamino derivatives of sugar chains from glycoproteins.
Biochem. 184, 135-138 (1990)
- [93] E.J. Kentzer, A. Buko, G. Menon und V.K. Sarin
Carbohydrate composition and presence of a fucose-protein linkage in recombinant human prourokinase.
BCBP R.C. 171, 401-406 (1990)

- [94] A.M. Buko, E.J. Kentzer, A. Petros, G. Menon, E.R.P. Zuiderweg und V.K. Sarin
Characterisation of a post-translational fucosylation in the growth factor domain of urinary plasminogen activator.
Proc. Natl. Acad. Sci. USA 88, 3992-3996 (1991)
- [95] R.J. Harris, C.K. Leonard, A.W. Guzzetta und M.W. Spellman
Tissue plasminogen activator has an O-linked fucose attached to threonine-61 in the epidermal growth factor domain.
Biochem. 30, 2311-2314 (1991)
- [96] E.A. Higgins, K.A. Siminovich, D. Zhuang, I. Brockhausen und J.W. Dennis
Aberrant O-linked oligosaccharide biosynthesis in lymphocytes and platelets with the Wiscott-Aldrich syndrome.
J. Biol. Chem. 266, 6280-6290 (1991)
- [97] K.L. Carraway und S.R. Hull
O-glycosylation pathway for mucin-type glycoproteins.
BioEssays 4, 117-121 (1989)
- [98] T.L. Sheehan, A.G. Mayer und C.T. Wehr
Automated amino acid analysis using precolumn derivatization with 9-fluorenylmethyl chloroformate; analysis of complex samples.
7th int. Symposium on HPLC of proteins, peptides and polynucleotides.
Washington, D.C., USA (1987)
- [99] G. Ogden und P. Földi
Amino acid analysis: an overview of current methods.
LC GC 5, 28-40 (1987)
- [100] I. Betner und P. Földi
The FMOC-ADAM approach to amino acid analysis.
LC GC International 2, 44-53 (1988)
- [101] H. Blum, H. Beier und H.J. Gross.
Improved silver staining of plant proteins, RNA, and DNA in polyacrylamide gels.
Electrophoresis 8, 93-99 (1987)
- [102] M.R. Green, J.V. Pastevka und A.C. Peacock
Differential Staining of Phosphoproteins on Polyacrylamide Gels with a Cationic Carbocyanine Dye.
Anal. Biochem. 56, 43-51 (1973)

- [103] F. Hillenkamp und M. Karas
Mass spectrometry of peptides and proteins by matrix-assisted ultraviolet laser desorption/ionization.
In: J.A. McCloskey (ed.):
Mass spectrometry.
Methods Enzymol. 193,
280-294 (1990)
- [104] G. Schmidt
Hydrolysis of phospho-
ethanolamine.
Methods Enzymol. III, 358
- [105] H. Stadler und T. Nesselhut
Simple and rapid measurement of acetylcholine and choline by HPLC and enzymatic-electrochemical detection.
Neurochem. Int. 2, 125-127
(1986)
- [106] M.J. Kessler, T. Mise, R.D. Ghai und O.P. Bahl
Structure and Location of the O-Glycosidic Carbohydrate Units of Human Chorionic Gonadotropin.
J. Biol. Chem. 254, 7909-7914 (1979)
- [107] N.K. Karlsson, H. Karlsson und G.C. Hansson
Strategy for the investigation of O-linked oligosaccharides for mucins based on the separation into neutral, sialic acid- and sulfate-containing species.
Glycoconjugate J. 12, 69-76
(1995)
- [108] N.K. Karlsson und G.C. Hansson
Analysis of Monosaccharide Composition of Mucin Oligosaccharide Alditols by High Performance Anion-Exchange Chromatography.
Anal. Biochem. 224, 538-541 (1986)
- [109] S. Takasaki, T. Mizuochi und A. Kobata
Hydrazinolysis of Asparagine-Linked Sugar Chains to Produce Free Oligosaccharides.
Methods Enzymol. 179,
163-268 (1989)
- [110] N. Kuraya und S. Hase
Release of O-linked Sugar Chains from Glycoproteins with Anhydrous Hydrazine and Pyridylation of the Sugar Chains with Improved Reaction Conditions.
J. Biochem. 112, 122-126
(1992)
- [111] T. Patel, J. Bruce, A. Merry, C. Brigge, M. Wormald, A. Jaques und R. Parekh
Use of Hydrazine To Release in Intact and Unreduced Form both N- and O-linked Oligosaccharides from Glycoproteins.
Biochemistry 32, 679-693
(1993)

- [112] C.A. Cooper, N.H. Packer und J.W. Redmond
The elimination of O-linked glycans from glycoproteins under non-reducing conditions.
Glycoconjugate J. 11, 163-167 (1994)
- [113] H. Rauvala, J. Finne, T. Krusius, J. Kärkkäinen und J. Järnefeldt
Methylation techniques in the structural analysis of glycoproteins and glycolipids.
Adv. Carbohydr. Chem. Biochem. 38, 389-416 (1981)
- [114] S. Hakamori
A rapid permethylation of glycolipid, and polysaccharide catalyzed by methylsulfinyl carbanion in dimethylsulfoxide.
J. Biochem. 55, 205-207 (1984)
- [115] S.B. Levery und S.I. Hakamori
Microscale methylation analysis of glycolipids using capillary gas chromatography-chemical ionization mass fragmentography with ion monitoring.
Methods Enzymol. 138, 13-25 (1987)
- [116] J. Paz Parente, P. Cardon, Y. Leroy, J. Montreuil und B. Fournet
A convenient method for methylation of glycoprotein glycans in small amounts by using lithium methylsulfinyl carbanion.
Carb. Res. 141, 41-47 (1985)
- [117] V.H. Björndahl, C.G. Hellerquist, B. Lindberg und S. Svensson
Gas-Flüssigkeitschromatographie und Massenspektrometrie bei der Methylierungsanalyse von Polysacchariden.
Angew. Chem. 82, 643-674 (1970)
- [118] R. Geyer, H. Geyer, S. Kühnhardt, W. Mink und S. Stirm
Capillary gas chromatography of methylhexitol acetates obtained upon methylation of N-glycosidically linked glycoprotein oligosaccharides.
Anal. Biochem. 121, 263-274 (1982)
- [119] R. Geyer, H. Geyer, S. Kühnhardt, W. Mink und S. Stirm
Methylation analysis of complex carbohydrates in small amounts: capillary gas chromatography-mass fragmentography of methylalditol acetates obtained from N-glycosidically linked glycoprotein oligosaccharides.
Anal. Biochem. 133, 197-207 (1983)

- [120] S. Honda, E. Akao, S. Suzuki, M. Okuda, K. Kakehi und J. Nakamura
High-Performance Liquid Chromatography of reducing carbohydrates of strongly ultraviolet-absorbing and electrochemically sensitive 1-phenyl-3-methyl-5-pyrazolone derivatives.
Anal. Biochem. 180, 351-357 (1989)
- [121] K.R. Anumula
Quantitative Determination of Monosaccharides in Glycoproteins by High-Performance Liquid Chromatography with Highly Sensitive Fluorescence Detection.
Anal. Biochem. 220, 275 (1994)
- [122] A. Rifai und S.S. Wong
Preparation of phosphorylcholine-conjugated antigens.
J. Immunol. Meth. 94, 25-30 (1986)
- [123] M. Harwood und J.L. Harwood
Alternative pathways for phosphatidylcholine synthesis in olive (*Olea europaea* L.) callus cultures.
Biochem. J. 304, 463-468 (1994)
- [124] K.M. Houston und W. Harnett
Prevention of attachment of phosphorylcholine to a major excretory-secretory product of *Acanthocheilonema viteae* using Tunicamycin
J. Parasitology 82, 320-324 (1996)
- [125] K.M. Houston und W. Harnett
Mechanisms underlying the transfer of phosphorylcholine to filarial nematode kinase.
Parasitology 118, 311-318 (1999)
- [126] P. Lim, R. Cornell und D.E. Vance
The supply of both CDP-choline and diacylglycerol can regulate the rate of phosphatidylcholine synthesis in HeLa cells.
Biochem. Cell Biol. 64, 692-698 (1986)
- [127] M. Hintz, A. Taubert, R. Geyer, H. Zahner, S. Stirm und F. J. Conraths
Juvenile female *Litomosoides sigmodontis* produce an excretory/secretory antigen (Juv-p120) highly modified with dimethylaminoethanol.
Parasitology 3, 265-271 (1998)
- [128] I. Brockhausen, D. Toki, J. Brockhausen, S. Peters, T. Bielfeldt, A. Kleen, H. Paulsen, M. Meldal, F. Hagen und L.A. Tabak
Specificity of O-glycosylation by bovine colostrum UDP-GalNAc: polypeptide α -N-acetylgalactosaminyltransferase using synthetic glycopeptide substrates.
Glycoconjugate J. 13, 849-856 (1996)
-

- [130] G. Bardehle
Isolierung und biochemische Analysen der Mikrofilarienscheiden von *Litomosoides carinii* (Nematoda, Filarioidea).
Inaugural-Dissertation, Naturwissenschaftliche Fakultät, Justus-Liebig-Universität Gießen (1990)